


WH3310 Installation Manual

(WH3310 安装说明书)




Model: WH3310
(型号: WH3310)


- To use the product safely and correctly, please read this manual carefully before installation.
(为确保正确和安全使用, 安装前请仔细阅读此手册)。
- This product is suitable for 55-86 inch interactive display.
(本型号产品适用55-86"平板会议屏.)
- The maximum capacity of this cart is 100 KG
(此支架可承重100KG.)

● Main Parts:


(组装主件:)



A-left column 1pc
(A-左立柱 1pc)



B-right column 1pc
(B-右立柱 1pc)



D-wall plate 1pc
(D-连接框 1pc)



E-bracket 2pcs
(E-长条 2pcs)




C-tray 1pc
(C-托盘 1pc)



F-3 inch wheels 4pcs
(F-3寸轮子 4pcs)

● Spare parts

(组装配件:)



a-M8*20 Screw
(a-M8*20 十字外六角螺杆)
12pcs



b-M6*16 Screw
(b-M6*16 十字圆头螺杆)
4pcs



c-M8*25 Screw
(c-M8*25 十字圆头螺杆)
4pcs




d-ø16*8.5*1.0 Washer
(d-ø16*8.5*1.0 垫片)
4pcs




e-ø24*12.5*1.5 Washer
(e-ø24*12.5*1.5 垫片)
4pcs



f-ø20*12.5*3.5 Spring washer
(f-ø20*12.5*3.5 弹簧垫圈)
4pcs



Cross screwdriver (Self provided)
十字螺丝刀 (自备)



Spanner (Self provided)
活动扳手 (自备)

Step 1:

Adjust the wheels to the braking state, and then screw the four wheels onto the left and right columns. (Figure 1)

步骤 1: 将轮子调整至刹车状态, 再将4pcs轮子拧入到左右立柱上 (如图一)。




Figure 1

图一

Step 2:

There are 3 combinations of installation holes in the wall plate. Choose the combination you need. Turn a screw (a) into the lower hole of the combination in advance. Do not lock it and reserve a distance of 8mm. Then hang up the wall plate and lock all six screws (a).

步骤 2: 墙板有三种安装孔位组合, 选择需要的组合, 在这个组合最下面的孔位处预锁1颗螺丝(a), 不要锁紧, 预留8mm, 然后将墙板挂上去, 再锁紧6颗螺丝(a)。(如图二)。




Figure 2

图二

Step 3:

Turn a screw (a) into the hole as shown in Figure 3 in advance, do not lock and reserve a distance of 8mm. Then hang up the tray and lock all six screws (a).

步骤 3 : 先在图示孔位预锁一颗螺丝 (a)，不要锁紧，预留8mm，然后将托盘挂上去，锁紧6颗螺丝 (a)。(如图三)




Figure 3
(图三)

Step 4:

As shown in Figure 4, lay the conference screen flat, and select the appropriate screw to connect the bracket with the screen.

步骤 4 : 将平板会议屏平放，选择适合与平板会议屏连接的螺杆，将长条与平板会议屏连接。(如图四)




Figure 4
(图四)

Step 5:

Install the interactive display with the bracket on the wall plate, ensure that the hook is hung on the border of the wall plate, and then lock the safety screw on the bracket

步骤 5 : 将装好长条的平板会议屏挂在连接框上，确定挂钩完全挂在连接框内，再将长条上的安全螺杆锁紧。（如图五）




Figure 5
(图五)

Step 6:

The effect after installation is as follows:

步骤 6 : 组装完成后效果图，参考下图。




Figure 6
(图六)

Note

This product has the function of installing a camera bracket. Adjust the camera bracket to a proper position and lock four screws, as shown in Figure 7.

注意：本产品具备加装摄像头支架的功能，将摄像头支架调整至合适的位置，锁上4颗螺丝即可，如下图所示。




Figure 7
(图七)